

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1	"6417998".pn. and track and (length or width)	USPAT	2005/04/18 09:16
2	BRS	L2	304	360/317.ccls.	USPAT	2005/04/18 10:45
3	BRS	L3	226	2 and ((track near2 width) or trackwidth)	USPAT	2005/04/18 09:17
4	BRS	L4	100	3 and @ad<"19990819"	USPAT	2005/04/18 09:19
5	BRS	L5	62	4 and ((pole or yoke) near2 (length or width))	USPAT	2005/04/18 09:20
6	BRS	L6	26	4 and ((pole or yoke) near2 (length))	USPAT	2005/04/18 09:20
7	BRS	L7	295733	"360"/\$.ccls. or "428"/\$.ccls. or "29"/\$.ccls.	USPAT	2005/04/18 09:44
8	BRS	L8	161671	L7 and @ad<"19990821"	USPAT	2005/04/18 09:47
9	BRS	L9	17094	L8 and (((magnetic) or "MO") near2 (disk or (recording adj medium)))	USPAT	2005/04/18 09:44
10	BRS	L10	3001	9 and (cr or mo or W or Nb or Ta or Ti or Zr or Hf or Pd or Pt or Rh or Ir or Si) and (La or Ce or Pr or Nd or Pm or Sm or Eu or Gd or Td or Dy or Ho or Er or Tm or Yb or Lu or Bi or Sb or Pb or Sn or Ge)	USPAT	2005/04/18 09:46

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	518	L8 and ((magnetic adj optical) or "MO") near2 (disk or (recording adj medium)))	USPAT	2005/04/18 09:47
12	BRS	L12	125	L11 and (cr or mo or W or Nb or Ta or Ti or Zr or Hf or Pd or Pt or Rh or Ir or Si) and (La or Ce or Pr or Nd or Pm or Sm or Eu or Gd or Td or Dy or Ho or Er or Tm or Yb or Lu or Bi or Sb or Pb or Sn or Ge)	USPAT	2005/04/18 09:47
13	BRS	L13	2876	10 not L12	USPAT	2005/04/18 09:47
14	BRS	L14	2876	L13 and @ad<"19990821"	USPAT	2005/04/18 09:50
15	BRS	L15	192	14 and ("atomic %")	USPAT	2005/04/18 10:37
16	BRS	L16	1	"5494722".pn.	USPAT	2005/04/18 10:37
17	BRS	L18	72	2 and resistivity	USPAT	2005/04/18 10:46
18	BRS	L19	40	18 and @ad<"19990622"	USPAT	2005/04/18 10:51
19	BRS	L20	8	19 and (inductance or "nH")	USPAT	2005/04/18 10:59
20	BRS	L21	1	"6043959".pn.	USPAT	2005/04/18 11:00

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L22	1	21 and (track or trackwidthh)	USPAT	2005/04/18 11:00

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	5452	(integrated adj circuit) and ((line adj width) or linewidth)	USPAT	2005/04/15 14:54
2	BRS	L2	1384	(integrated adj circuit) and (linewidth)	USPAT	2005/04/15 14:57
3	BRS	L8	0	2 and "360"/\$.ccls.	USPAT	2005/04/15 14:57
4	BRS	L9	913	2 and @ad<"19990819"	USPAT	2005/04/15 15:06
5	BRS	L10	304	360/317.ccls.	USPAT	2005/04/15 15:06
6	BRS	L11	142	10 and @ad<"19990819"	USPAT	2005/04/15 15:07
7	BRS	L12	26	11 and (pole near2 length)	USPAT	2005/04/15 15:09
8	BRS	L13	26	12 and length	USPAT	2005/04/15 15:19
9	BRS	L14	1	"6417998".pn. and track	USPAT	2005/04/15 15:12
10	BRS	L15	1	"6521539".pn.	USPAT	2005/04/15 15:20
11	BRS	L16	1	"5773199".pn.	USPAT	2005/04/15 15:20
12	BRS	L17	1	"5773199".pn. and linewidth	USPAT	2005/04/15 15:23
13	BRS	L18	295733	"360"/\$.ccls. or "428"/\$.ccls. or "29"/\$.ccls.	USPAT	2005/04/15 15:23

	Type	L #	Hits	Search Text	DBs	Time Stamp
14	BRS	L19	161671	18 and @ad<"19990821"	USPAT	2005/04/15 15:23
15	BRS	L20	17035	19 and (magnetic near2 (disk or (recording adj medium)))	USPAT	2005/04/15 15:39
16	BRS	L21	2983	20 and (cr or mo or W or Nb or Ta or Ti or Zr or Hf or Pd or Pt or Rh or Ir or Si) and (La or Ce or Pr or Nd or Pm or Sm or Eu or Gd or Td or Dy or Ho or Er or Tm or Yb or Lu or Bi or Sb or Pb or Sn or Ge)	USPAT	2005/04/15 15:40
17	BRS	L22	151	21 and @ad>"19981212"	USPAT	2005/04/15 15:29
18	BRS	L23	518	19 and ((magnetic adj optical) or "MO") near2 (disk or (recording adj medium)))	USPAT	2005/04/15 15:40
19	BRS	L24	125	23 and (cr or mo or W or Nb or Ta or Ti or Zr or Hf or Pd or Pt or Rh or Ir or Si) and (La or Ce or Pr or Nd or Pm or Sm or Eu or Gd or Td or Dy or Ho or Er or Tm or Yb or Lu or Bi or Sb or Pb or Sn or Ge)	USPAT	2005/04/15 15:41